

C-GHQD
S/N S1575

DATE: TTAFF TTE
25-Mar-11 7264.4 287.1

AMS
P2208SUD

INTERVALS	LIFE	TTAF C/O	TTAF DUE	REMAIN	LAG	COMMENT
1200 HR AIRFRAME	1200	7139.6	8339.6	1075.2		
600 HR AIRFRAME	600	6979.4	7579.4	315.0		complete 1200 at same tin
400 HR AIRFRAME	400	6979.4	7379.4	115.0		
300 HR AIRFRAME	300	7261.4	7561.4	297.0		
200 HR AIRFRAME/ENGINE	200	7169.8	7369.8	105.4		
100 HR AIRFRAME/ENGINE	100	7261.4	7361.4	97.0		
50 HR AIRFRAME /ENGINE	50	7261.4	7311.4	47.0		
25 HR AIRFRAME /ENGINE	25	7261.4	7286.4	22.0		
ANNUAL INSPECTION	12M	8-Sep-10	08-Sep-11	167.0		

COMPONENT	LIFE	TTAF C/O	TTAF DUE	REMAIN	FLAG	COMMENT
ENGINE P/N: HO-360-D1A S/N: L-30236-51A	1500 HRS O/H	6979.4	8477.3	1212.9 HRS		2.1 hours logged in test cell
ENGINE MOUNT P/N: 269A8605 S/N: N/A	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		
ENGINE MOUNT P/N: 269A8606 S/N: N/A	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		
ENGINE MOUNT BRUSHING (X4) P/N: 269A8610 S/N: N/A	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		
MAGNETO - L/H P/N: 4345 S/N: 10070615	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		
MAGNETO - L/H P/N: 4345 S/N: 10070615	500 HRS INSP	6979.4	7479.4	215.0 HRS		
MAGNETO - R/H P/N: 4345 S/N: 10070614	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		
MAGNETO - R/H P/N: 4345 S/N: 10070614	500 HRS INSP	6979.4	7479.4	215.0 HRS		
STARTER P/N: 31B22111 S/N: F4M-360408	1500 HRS O/H	6415.2	7915.2	650.8 HRS		
ALTERNATOR P/N: ALU-8521R S/N: D052432	1500 HRS O/H	6761.4	8261.4	997.0 HRS		
IGNITION HARNESS - L/H P/N: M2976 S/N: N/A	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		
IGNITION HARNESS - R/H P/N: M2976 S/N: N/A	1500 HRS O/H	6979.4	8479.4	1215.0 HRS		

C-GHQD
S/N: S1575

DATE:
 25-Mar-11
 TTAF C/O

TTAF
 7264.4
 TTAF DUE

TTE
 287.1
 REMAIN FLAG

AMS
 P2208SUD
 COMMENT

COMPONENT	LIFE	TTAF C/O	TTAF DUE	REMAIN	FLAG	COMMENT
OIL LINE P/N: AE7010200H0674 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0		
OIL LINE AE7010000H0362 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0		
OIL LINE P/N: AE7010000H0390 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0		
OIL PRESS LINE P/N: AE7010001E0142 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0 HRS		
FUEL LINE MAIN P/N: AE7010000E0100 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0 HRS		
FUEL LINE MAIN P/N: E7010200E0112 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0 HRS		
MANIFOLD PRESS LINE P/N: AE7010000E0170 S/N: N/A	1500 HRS RETIRE	6979.4	8479.4	1215.0 HRS		
LOWER PULLEY BEARING - AFT P/N: 269A5050-85 S/N:424	1800 HRS RETIRE	6035.5	7835.5	571.1		
LOWER PULLEY BEARING - FWD P/N: 269A5050-85 S/N:415	1800 HRS RETIRE	6035.5	7835.5	571.1		
M/R HUB ASSY P/N: 269A5325-1 S/N: S0441	8000 HRS RETIRE	5692.5	13692.5	6428.1		
M/R BLADE P/N: 269A1185-001 S/N: S3115	5500 HRS RETIRE	5491.4	10991.4	3727.0		
M/R BLADE P/N: 269A1185-001 S/N: S3125	5500 HRS RETIRE	5491.4	10991.4	3727.0		
M/R BLADE P/N: 269A1185-001 S/N: S3131	5500 HRS RETIRE	5491.4	10991.4	3727.0		
M/R DAMPER P/N: 269A1290-003 S/N: 7630	6000 HRS RETIRE	5013.2	11013.2	3748.8		
M/R DAMPER P/N: 269A1290-003 S/N: 7583	6000 HRS RETIRE	5013.2	11013.2	3748.8		
M/R DAMPER P/N: 269A1290-003 S/N: 7585	6000 HRS RETIRE	5013.2	11013.2	3748.8		
M/R DRIVESHAFT P/N: 269A5326-005 S/N: S20178	3200 HRS RETIRE	5941.9	9141.9	1877.5		
T/R HUB ASSY P/N: 269A6034-21 S2599	ON CONDITION					
M/R PITCHSHAFT P/N: 269A1240-007 S/N: S8230	3600 HRS RETIRE	6979.4	10579.4	3315.0		

C-GHQD

S/N: S1575

DATE:

25-Mar-11

TTAF

7264.4

TTE

287.1

AMS

P2208SUD

COMPONENT

LIFE

TTAF C/O

TTAF DUE

REMAIN

FLAG

COMMENT

COMPONENT	LIFE	TTAF C/O	TTAF DUE	REMAIN	FLAG	COMMENT
M/R PITCHSHAFT P/N: 269A1240-007 S/N: S7672	3600 HRS RETIRE	6979.4	10579.4	3315.0		
M/R PITCHSHAFT P/N: 269A1240-007 S/N: S7608	3600 HRS RETIRE	6979.4	10579.4	3315.0		
M/R THRUST BEARING P/N: 269A5050-063 S/N: 4448	3000 HRS RETIRE	5941.9	8941.9	1677.5		
M/R TRANSMISSION P/N: 269A5175-023 S/N: OS0074	3000 HRS O/H	5941.9	8941.9	1677.5		
CARRIER P/N: 269A5193-001 S/N: S0825	6000 HRS O/H	5941.9	11941.9	4677.5		
M/R TRANSMISSION PINION P/N: 269A5103-051 S/N: S2169ACR	6000 HRS RETIRE	5941.9	8970.3	1705.9		2971.6 on component @ inst
M/R MAST P/N: 269A2010-5 S/N: S483	13590 HRS RETIRE	0.0	13590.0	6325.6		
IDLER PULLEY BEARING - FWD P/N: 269A5050-74 S/N: N/A	3000 HRS RETIRE	5941.9	8941.9	1677.5		
IDLER PULLEY BEARING - AFT P/N: 269A5050-74 S/N: N/A	3000 HRS RETIRE	5941.9	8941.9	1677.5		
LWR PULLEY COUPLING SHAFT P/N: 269A5559-003 S/N: S904	6000 HRS O/H	6945.3	8638.3	1373.9		4307.0 on component @ inst
UPPER PULLEY BEARING - FWD P/N: 269A5050-96 S/N: N/A	3000 HRS RETIRE	5941.9	8941.9	1677.5		
UPPER PULLEY BEARING - AFT P/N: 269A5050-96 S/N: N/A	3000 HRS RETIRE	5941.9	8941.9	1677.5		
HORIZONTAL STAB P/N: 269A2516-21 S/N: S0526	4200 HRS RETIRE	6979.4	9160.3	1895.9		2019.1 on component @ inst
TAILBOOM P/N: 269A2320-17 S/N: S0282	4200 HRS RETIRE	4145.1	8345.1	1080.7		
T/B SUPPORT STRUT P/N: 269A2015-011 S/N: S1024 & S1025	10700 HRS RETIRE	0.0	10700.0	3435.6		
T/R DRIVESHAFT P/N: 269A6040-009 S/N: S0690	6000 HRS RETIRE	6945.3	12945.3	5680.9		
T/R RETENTION STRAP P/N: 269A6065-507 S/N: S2302	5100 HRS RETIRE	6451.4	11551.4	4287.0		
T/R INPUT SHAFT BOX ASSY P/N: 269A5626-005 S/N: S1060AGC	8600 HRS RETIRE	6451.4	14541.9	7277.5		509.5 on component @ inst

PAGE 3 of 8

C-GHQD

C-GHQD
S/N: S1575

DATE: 25-Mar-11
TTAF 7264.4
TTE 287.1

AMS
P2208SUD
COMMENT

COMPONENT	LIFE	TTAF C/O	TTAF DUE	REMAIN	FLAG	COMMENT
T/R BLADE P/N: 269A6035-023 S/N: S2128	9000 HRS RETIRE	2499.9	11499.9	4235.5		
T/R BLADE P/N: 269A6035-023 S/N: S2123	9000 HRS RETIRE	2499.9	11499.9	4235.5		
T/R TRANSMISSION P/N: 269A5600-703 S/N: S0236	3000 HRS RETIRE	6451.4	8941.9	1677.5		509.5 on component @ instal
T/R DRIVESHAFT FRWD COUPLING P/N 269A5430-001 S/N S1853	Tracking purposes	7097.8	Hrs on component 166.6			TSN= 0.0 Drive spline = frwd coupling
T/R DRIVESHAFT AFT COUPLING P/N 269A6030-005 S/N S1972	Tracking purposes	7097.8	Hrs on component 166.6			TSN=0.0 Driven spline = aft coupling
OIL FILTER P/N: CH48108 S/N:N/A	50 HRS REPLACE	7261.4	7311.4	47.0		
FUEL INJECTOR P/N: 2524347-10 S/N:70039310	1500 HRS O/H	6979.4	8479.4	1215.0		
FUEL PUMP - ELECTRIC P/N: 269A4090-001 S/N:144585	1500 HRS O/H	6690.6	8190.6	926.2		
VERTICAL STABILIZER P/N: 269A2419-003 S/N:S2084	20540 HRS O/H	0.0	20540.0	13275.6		

C-GHQD
S/N: S1575

DATE:
 25-Mar-11
 TTAF C/O

TTAF
 7264.4
 TTAF DUE

TTE
 287.1
 REMAIN

AMS
 P2208SUD
 COMMENT

OUT OF PHASE ITEMS

	LIFE	TTAF C/O	TTAF DUE	REMAIN	FLAG	COMMENT
TACHOMETER P/N: 6311 S/N: 25172	100 HRS CHECK RPM	7261.4	7361.4	97.0		
COMPRESSION LEAK TEST P/N: N/A S/N: N/A	100 HRS CHECK	7261.4	7361.4	97.0		1=72 3= 67 2=76 4=74
M/R DROOP NUT RETORQUE P/N: N/A S/N: N/A	200 HRS RETORQUE	7169.8	7369.8	105.4		
INDUCTION AIR FILTER P/N: BA2 S/N:N/A	100 HRS INSPECT	7261.4	7361.4	97.0		
INDUCTION AIR FILTER P/N: BA2 S/N:N/A	200 HRS REPLACE	7216.5	7416.5	152.1		
MAST NUT RETORQUE P/N: N/A S/N: N/A	10 HRS RETORQUE	6989.2				ONE TIME
T/R DRIVEFORK RETAIN NUT P/N: N/A S/N: N/A	25 HRS RETORQUE	7002.9				one time
T/R NUT RETORQUE	25 HRS	7002.9				one time
T/R BLADE BOLT RETORQUE	100 HRS RETORQUE	6890.8				C/W - one time
RING GEAR / IMPELLER BOLT RETORQUE	100 HRS RETORQUE	7073.2				c/w - one time
Aft Pinion Nut RETORQUE	25 HRS	7261.4	7286.4	22.0	X	change back to 100 hr following retorquing
T/R Pitch Ctrl Bearing INSPECTION	25 HRS	7002.9				one time
Alternator Belt Tension INSPECTION	25 HRS	7002.9				one time
Engine Alignment check INSPECTION	10 HRS RETORQUE	6989.2				one time

C-GHQD
S/N: S1575

DATE:
25-Mar-11
DATE C/O

TTAF
7264.4
DATE DUE

TTE
287.1
REMAIN **FLAG**

AMS
P2208SUD
COMMENT

CALENDAR ITEMS

CALENDAR ITEMS	LIFE	DATE C/O	DATE DUE	REMAIN	FLAG	COMMENT
PITOT STATIC REF: 571.213	2 YRS LEAK TEST	1-Mar-11	28-Feb-13	706.0 DAYS		
ALTIMETER P/N: 5934-1 S/N: V6669	2 YRS RECERT	1-Mar-11	22-Feb-13	700.0 DAYS		calibrated on Feb 23/11
TRANSPONDER P/N: AT150 S/N: 39125	2 YRS RECERT	1-Mar-11	28-Feb-13	706.0 DAYS		
ENCODER P/N: D120P2-T S/N: 72486	2 YRS RECERT	1-Mar-11	28-Feb-13	706.0 DAYS		
CORRELATION TEST P/N: N/A S/N: N/A	2 YRS RECERT	1-Mar-11	28-Feb-13	706.0 DAYS		
FIRE EXTINGUISHER P/N: A417 ABC21/2 S/N: 088547C	1 YR INSPECT	8-Sep-10	8-Sep-11	167.0 DAYS		
FIRE EXTINGUISHER P/N: ABC21/2 S/N: x-444400	10 YRS RETIRE	8-Sep-10	5-Sep-20	3452.0 DAYS		
FIRST AID KIT P/N: TYPE 'A' S/N: A365C-M01	1 YR INSPECT	8-Sep-10	8-Sep-11	167.0 DAYS		
ELT P/N: 453-6604 S/N: 10749	1 YR RECERT	15-Jul-10	15-Jul-11	112.0 DAYS		
ELT BATTERY S/N: 104840GA	5 YRS RECERT	1-Jul-08	30-Jun-13	828.0 DAYS		
COMPASS SWING P/N: N/A S/N: N/A	1 YR INSPECT	25-Mar-11	24-Mar-12	365.0 DAYS		
CO DETECTOR P/N: QE11-01	90 day RETIRE	24-Feb-11	25-May-11	61.0 DAYS		
T/R BLADE BOLT HOLE LPI P/N: N/A S/N: N/A	1 YR INSPECT	8-Dec-10	8-Dec-11	258.0 DAYS		
AAIR TRANSPORT CANADA	1 YR SUBMIT	15-Nov-10	15-Nov-11	235.0 DAYS		
A/C LEASE	1 YR REVIEW	1-Mar-10	12-Mar-15	1448.0 DAYS		