

**ECUREUIL AS350-B2 - S/N 1799 - MANUF. DATE: 1986 - REGISTRATION: CP-2701**

Status at 05-Jul-2014

Aircraft Total Time Since New: . . . . . **10 880:36 H**  
 Aircraft Total Landings Since New: . . . . . **23 308 LD**  
 Last Airframe Major Overhaul completed the 29-Jan-2003 at: . . . . . 7 074:56 H A/C TTSN  
 Aircraft Operating Time Since Last Overhaul: . . . . . **3 805:40 H**

NG Cycles consumed since Engine installation: . . . . . 16,45 NG  
 NF Cycles consumed since Engine installation: . . . . . 14 NF

DESIGNATION (REF. EUROCOPTER)	MPN	MSN	TL	LIMITS	INSTALLATION AT		OPERATING TIME		TO BE REMOVED AT		REMAINING HR / CY
					DATE	A/C TTSN	BEFORE INST.	AFTER INST.	DATE	A/C TTSN	

**ATA 24 - ELECTRICAL POWER**

CONCORDE BATTERY	RG-350	40390957	OC	-- O.C. --	02-Mar-11	10 860:21	0 H	20:15 H		-- O.C. --	-- O.C. --
------------------	--------	----------	----	------------	-----------	-----------	-----	---------	--	------------	------------

**ATA 25 - EQUIPMENTS / FURNISHINGS**

KANNAD 406AF-H ELT - (BATTERY REPLACEMENT) - (FUNCTIONAL CHECK)	S1822502-02	2622789-003	OTL CHK	6 Y 2 Y	19-Sep-10 19-Sep-12	10 618:07 10 872:51	0 D 0 D	1 385 D 654 D	19-Sep-16 19-Sep-14		807 D 76 D
PILOT HARNESS, 4 POINTS (704A41-1230-12)	504305-401	19965	OTL	10 Y	05-Jun-08	10 249:30	0 D	2 221 D	05-Jun-18		1 431 D
COPILOT HARNESS, 4 POINTS (704A41-1230-12)	504305-401	25247	OTL	10 Y	22-Jul-08	10 249:30	0 D	2 174 D	22-Jul-18		1 478 D
SEAT BELT, REAR RH (704A31-220-093)	3491107-12-070	-- W.O. --	OTL	10 Y	25-Sep-13		0 D	283 D	25-Sep-23		3 369 D
SEAT BELT, REAR LH (704A31-220-094)	3491108-12-070	-- W.O. --	OTL	10 Y	25-Sep-13		0 D	283 D	25-Sep-23		3 369 D
2x SEAT BELT, REAR CENTER (704A31-220-095)	3491109-12-070	-- W.O. --	OTL	10 Y	25-Sep-13		0 D	283 D	25-Sep-23		3 369 D
SIREN/ERC CARGO SLING ASSY (704A41-811-029)	S1609-6	1111	TBO* OTL	5,5 Y 10 Y	11-Jan-13 11-Jan-13	8 811:34 8 811:34	0 D 0 D	540 D 540 D	11-Jul-18 11-Jan-23		1 467 D 3 112 D
EXTERNAL LOAD WEIGHT TRANSMISOR (704A41-818-001)	D00282-0003	34366	CHK	2 Y	06-Jul-12	10 872:51	0 D	729 D	06-Jul-14		1 D
MSI EXTERNAL LOAD INDICATOR	D00448-0003	50588	CHK	2 Y	06-Jul-12	10 872:51	0 D	729 D	06-Jul-14		1 D

**ATA 26 - FIRE PROTECTION**

CABIN EXTINGUISHER - (WEIGHT CONTROL) (704A32-810-008) - (BOTTLE REPLACEMENT)	HALON 1211	35948	CHK OTL	6 M 10 Y	05-Jul-14 15-Sep-11	10 872:21 10 872:21	0 D 0 D	0 D 1 024 D	05-Jan-15 15-Sep-21		184 D 2 629 D
--	------------	-------	------------	-------------	------------------------	------------------------	------------	----------------	------------------------	--	------------------

**ATA 28 - FUEL**

INTERTECHNIQUE FUEL PUMP # 1 (704A44-510-042) - (BRUSH CHECK)	P94B12-209	A75980	OC CHK	-- O.C. -- 2 400 H	21-Mar-08 21-Mar-08	9 981:54 9 981:54	0:00 H 0:00 H	898:42 H 898:42 H		-- O.C. -- 12 381:54	-- O.C. -- 1 501:18 H
INTERTECHNIQUE FUEL PUMP # 2 (704A44-510-040) - (BRUSH CHECK)	P94B12-208	23367	OC CHK	-- O.C. -- 2 400 H	17-May-01 21-Mar-08	4 957:20 9 981:54	0:00 H 0:00 H	5 923:16 H 898:42 H		-- O.C. -- 12 381:54	-- O.C. -- 1 501:18 H
TRANSMITTER, FUEL GAUGE (704A47-651-091)	64751-003-3	768	OC	-- O.C. --	30-Jan-08	9 841:57	0:00 H	1 038:39 H		-- O.C. --	-- O.C. --

**ATA 34 - NAVIGATION**

ALTIMETER	15020-0175	160352	CHK	2 Y	22-May-14	10 872:51	0 D	44 D	22-May-16		687 D
VARIOMETER	38210-490	3069	CHK	2 Y	22-May-14	10 872:51	0 D	44 D	22-May-16		687 D
AIR SPEED INDICATOR	38399-490-02	2133	CHK	2 Y	22-May-14	10 872:51	0 D	44 D	22-May-16		687 D
MAGNETIC COMPASS	KCA0113W	AC230690	CHK	2 Y	22-May-14	10 872:51	0 D	44 D	22-May-16		687 D

**ATA 62 - MAIN ROTOR**

MAIN ROTOR BLADE [RED]	355A11-0030-02	22234	SLL	20 000 H	21-Oct-10	10 618:07	3 758:16 H	262:29 H		26 859:51	15 979:15 H
MAIN ROTOR BLADE [YELLOW]	355A11-0030-02	22175	SLL	20 000 H	21-Oct-10	10 618:07	3 758:16 H	262:29 H		26 859:51	15 979:15 H
MAIN ROTOR BLADE [BLUE]	355A11-0030-02	22228	SLL	20 000 H	21-Oct-10	10 618:07	3 758:16 H	262:29 H		26 859:51	15 979:15 H
MAIN ROTOR HUB	355A31-0002-01	M2101	OC	-- O.C. --	21-Oct-10	10 618:07	4 410:23 H	262:29 H		-- O.C. --	-- O.C. --
M/R PITCH HORN	350A31-1877-02	M 8981	SLL	80 000 H	21-Oct-10	10 618:07	10 618:07 H	262:29 H		80 000:00	69 119:24 H
M/R PITCH HORN	350A31-1877-02	M 9001	SLL	80 000 H	21-Oct-10	10 618:07	10 618:07 H	262:29 H		80 000:00	69 119:24 H
M/R PITCH HORN	350A31-1877-02	M 9059	SLL	80 000 H	21-Oct-10	10 618:07	10 618:07 H	262:29 H		80 000:00	69 119:24 H

**ECUREUIL AS350-B2 - S/N 1799 - MANUF. DATE: 1986 - REGISTRATION: CP-2701**

**Status at 05-Jul-2014**

Aircraft Total Time Since New: . . . . . **10 880:36 H**  
 Aircraft Total Landings Since New: . . . . . **23 308 LD**  
 Last Airframe Major Overhaul completed the 29-Jan-2003 at: . . . . . 7 074:56 H A/C TTSN  
 Aircraft Operating Time Since Last Overhaul: . . . . . **3 805:40 H**

NG Cycles consumed since Engine installation: . . . . . 16,45 NG  
 NF Cycles consumed since Engine installation: . . . . . 14 NF

DESIGNATION (REF. EUROCOPTER)	MPN	MSN	TL	LIMITS	INSTALLATION AT		OPERATING TIME		TO BE REMOVED AT		REMAINING HR / CY
					DATE	A/C TTSN	BEFORE INST.	AFTER INST.	DATE	A/C TTSN	

**ATA 62 - MAIN ROTOR (continued)**

SPHERICAL STOP ASSY	704A33-633-211	LK14831	SLL	6 400 H	21-Oct-10	10 618:07	231:37 H	262:29 H		16 786:30	5 905:54 H
SPHERICAL STOP ASSY	704A33-633-211	LK14685	SLL	6 400 H	21-Oct-10	10 618:07	231:37 H	262:29 H		16 786:30	5 905:54 H
SPHERICAL STOP ASSY	704A33-633-211	LK14841	SLL	6 400 H	21-Oct-10	10 618:07	231:37 H	262:29 H		16 786:30	5 905:54 H
STARFLEX	350A31-1917-00	M3114	SLL	2 400 H	21-Oct-10	10 618:07	863:19 H	262:29 H		12 154:48	1 274:12 H
BALL JOINT, STARFLEX	11-7775P	-- W.O. --	OC	-- O.C. --	21-Oct-10	10 618:07	4 344:46 H	262:29 H		-- O.C. --	-- O.C. --
BALL JOINT, STARFLEX	11-7775P	-- W.O. --	OC	-- O.C. --	21-Oct-10	10 618:07	4 344:46 H	262:29 H		-- O.C. --	-- O.C. --
BALL JOINT, STARFLEX	11-7775P	-- W.O. --	OC	-- O.C. --	21-Oct-10	10 618:07	4 344:46 H	262:29 H		-- O.C. --	-- O.C. --
LOWER FLANGE	350A31-1850-02	M27291	SLL	4 400 H	01-Aug-11	10 872:21	0:00 H	8:15 H		15 272:21	4 391:45 H
LOWER FLANGE	350A31-1850-02	M27288	SLL	4 400 H	01-Aug-11	10 872:21	0:00 H	8:15 H		15 272:21	4 391:45 H
LOWER FLANGE	350A31-1850-02	M27285	SLL	4 400 H	01-Aug-11	10 872:21	0:00 H	8:15 H		15 272:21	4 391:45 H
UPPER FLANGE	350A31-1850-03	M27325	SLL	4 400 H	01-Aug-11	10 872:21	0:00 H	8:15 H		15 272:21	4 391:45 H
UPPER FLANGE	350A31-1850-03	M27743	SLL	4 400 H	01-Aug-11	10 872:21	0:00 H	8:15 H		15 272:21	4 391:45 H
UPPER FLANGE	350A31-1850-03	M27299	SLL	4 400 H	01-Aug-11	10 872:21	0:00 H	8:15 H		15 272:21	4 391:45 H
SPHERICAL THRUST BEARING BOLTS	350A31-1854-21	30035	SLL	3 000 H	21-Oct-10	10 618:07	1 415:34 H	262:29 H		12 202:33	1 321:57 H
SPHERICAL THRUST BEARING BOLTS	350A31-1854-21	30067	SLL	3 000 H	21-Oct-10	10 618:07	1 415:34 H	262:29 H		12 202:33	1 321:57 H
SPHERICAL THRUST BEARING BOLTS	350A31-1854-21	30022	SLL	3 000 H	21-Oct-10	10 618:07	1 415:34 H	262:29 H		12 202:33	1 321:57 H
SPHERICAL THRUST BEARING BOLTS	350A31-1854-21	30027	SLL	3 000 H	21-Oct-10	10 618:07	1 415:34 H	262:29 H		12 202:33	1 321:57 H
SPHERICAL THRUST BEARING BOLTS	350A31-1854-21	30042	SLL	3 000 H	21-Oct-10	10 618:07	1 415:34 H	262:29 H		12 202:33	1 321:57 H
SPHERICAL THRUST BEARING BOLTS	350A31-1854-21	30056	SLL	3 000 H	21-Oct-10	10 618:07	1 415:34 H	262:29 H		12 202:33	1 321:57 H
FREQUENCY ADAPTER (704A33-640-088)	E1T3023-01	9023	OC	-- O.C. --	21-Oct-10	10 618:07	4 344:46 H	262:29 H		-- O.C. --	-- O.C. --
FREQUENCY ADAPTER (704A33-640-088)	E1T3023-01	9001	OC	-- O.C. --	21-Oct-10	10 618:07	4 344:46 H	262:29 H		-- O.C. --	-- O.C. --
FREQUENCY ADAPTER (704A33-640-088)	E1T3023-01	8998	OC	-- O.C. --	21-Oct-10	10 618:07	4 344:46 H	262:29 H		-- O.C. --	-- O.C. --
MAIN ROTOR SHAFT ASSY	350A37-0004-02	M 1725	OC	-- O.C. --	21-Oct-10	10 618:07	3 608:58 H	262:29 H		-- O.C. --	-- O.C. --
MAIN ROTOR SHAFT DRIVE	350A37-1290-04	M 5871	SLL	160 000 LD	21-Oct-10	23 013 LD	9 716 LD	295 LD		-- N.A. --	149 989 LD
SWACHPLATE BEARING, 4 CONTACTS (704A33-651-158)	Y51BB10843S2M74	NR 4252	OTL*	5 100 H	21-Oct-10	10 618:07	3 608:58 H	262:29 H		12 109:09	1 228:33 H
SCREW, STARFLEX	350A37-1244-20	68517	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1244-20	68520	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1244-20	68521	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1244-20	68525	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1244-20	68527	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1244-20	68530	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1245-20	61626	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1245-20	62729	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1245-20	61660	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1245-20	62731	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1245-20	62734	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H
SCREW, STARFLEX	350A37-1245-20	62736	SLL	3 000 H	21-Oct-10	10 618:07	1 428:19 H	262:29 H		12 189:48	1 309:12 H

**ECUREUIL AS350-B2 - S/N 1799 - MANUF. DATE: 1986 - REGISTRATION: CP-2701**

Status at 05-Jul-2014

Aircraft Total Time Since New: . . . . . **10 880:36 H**  
 Aircraft Total Landings Since New: . . . . . **23 308 LD**  
 Last Airframe Major Overhaul completed the 29-Jan-2003 at: . . . . . 7 074:56 H A/C TTSN  
 Aircraft Operating Time Since Last Overhaul: . . . . . **3 805:40 H**

NG Cycles consumed since Engine installation: . . . . . 16,45 NG  
 NF Cycles consumed since Engine installation: . . . . . 14 NF

DESIGNATION (REF. EUROCOPTER)	MPN	MSN	TL	LIMITS	INSTALLATION AT		OPERATING TIME		TO BE REMOVED AT		REMAINING HR / CY
					DATE	A/C TTSN	BEFORE INST.	AFTER INST.	DATE	A/C TTSN	

**ATA 63 - MAIN ROTOR DRIVE**

MAIN ROTOR GEAR BOX ASSY	350A32-0011-00M	M1184	TBO*	3 800 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		12 959:16	2 078:40 H
<b>EPICYCLIC REDUCTION GEAR</b> (POST MOD 07-7175)	350A32-0110-00	M434	TBO*	3 800 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		12 959:16	2 078:40 H
			TBO*	24,5 Y	25-Jan-07		0 D	2 718 D	25-Jul-31		6 229 D
PLANET GEAR ASSY	350A 32-1082-03	L23968	SLL	20 000 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		29 159:16	18 278:40 H
PLANET GEAR ASSY	350A 32-1082-03	L24036	SLL	20 000 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		29 159:16	18 278:40 H
PLANET GEAR ASSY	350A 32-1082-03	L24042	SLL	20 000 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		29 159:16	18 278:40 H
PLANET GEAR ASSY	350A 32-1082-03	L24066	SLL	20 000 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		29 159:16	18 278:40 H
PLANET GEAR ASSY	350A 32-1082-03	L24357	SLL	20 000 H	21-Oct-10	10 618:07	1 458:51 H	262:29 H		29 159:16	18 278:40 H
PLANET PINION CAGE	350A 32-1089-21	ZF 476	SLL	68 700 LD	21-Oct-10	23 013 LD	22 562 LD	295 LD	-- N.A. --		45 843 LD
<b>REDUCTION GEAR TAPERED</b> (POST MOD 07-7175)	350A32-0300-04	M1184	TBO*	3 800 H	21-Oct-10	10 618:07	65:47 H	262:29 H		14 352:20	3 471:44 H
			TBO*	24,5 Y	15-May-10		0 D	1 512 D	15-Nov-34		7 438 D
HOUSING, BOTTOM MGB	350A32-3119-03	M 2466	SLL	20 000 H	21-Oct-10	10 618:07	3 776:01 H	262:29 H		26 842:06	15 961:30 H
MGB MAIN HOUSING	350A32-3121-04		OC	-- O.C. --	11-Mar-03	0:00	0:00 H	10 880:36 H		-- O.C. --	-- O.C. --
BEVEL PINION	350A32-3173-20	L2049	SLL	20 000 H	21-Oct-10	10 618:07	65:47 H	262:29 H		30 552:20	19 671:44 H
BEVEL WHEEL	350A32-3166-20	L1072	SLL	20 000 H	21-Oct-10	10 618:07	65:47 H	262:29 H		30 552:20	19 671:44 H
<b>OIL PUMP</b> (POST MOD 07-7175)	350A32-0400-00	M2452	TBO*	3 800 H	21-Oct-10	10 618:07	65:47 H	262:29 H		14 352:20	3 471:44 H
			TBO*	24,5 Y	20-Apr-99		0 D	5 555 D	20-Oct-23		3 394 D
<b>ROTOR BRAKE</b>	350A32-0500-02	-- W.O. --	OC	-- O.C. --	21-Oct-10	10 618:07	65:47 H	262:29 H		-- O.C. --	-- O.C. --
<b>HYDRAULIC PUMP DRIVE</b> (704A33-690-008)	POLY-V 597K4	-- W.O. --	OTL*	1 980 H	02-Aug-08	10 292:36	0:00 H	588:00 H		12 272:36	1 392:00 H
			OTL*	6,5 Y	09-Apr-08		0 D	2 278 D	09-Oct-14		96 D
HYDRAULIC PUMP PULLEY, BALL BEARING REPLACEMENT (704A33-651-207)	TTS6225	-- W.O. --	OTL*	3 900 H	02-Aug-08	10 292:36	0:00 H	588:00 H		14 192:36	3 312:00 H
			OTL*	6,5 Y	28-Feb-08		0 D	2 319 D	28-Aug-14		54 D
HYDRAULIC PUMP PULLEY, BALL BEARING REGREASE			CHK	500 H	02-Jan-11	10 857:53	0:00 H	22:43 H		11 357:53	477:17 H
FRONT SUSPENSION BAR, RH	704A33-633-074	3409	OC	-- O.C. --	01-May-91	0:00	0:00 H	10 880:36 H		-- O.C. --	-- O.C. --
FRONT SUSPENSION BAR, LH	704A33-633-074	3407	OC	-- O.C. --	01-May-91	0:00	0:00 H	10 880:36 H		-- O.C. --	-- O.C. --
REAR SUSPENSION BAR, RH	704A33-633-075	3556	OC	-- O.C. --	01-May-91	0:00	0:00 H	10 880:36 H		-- O.C. --	-- O.C. --
REAR SUSPENSION BAR, LH	704A33-633-075	3549	OC	-- O.C. --	01-May-91	0:00	0:00 H	10 880:36 H		-- O.C. --	-- O.C. --

**ATA 64 - TAIL ROTOR**

TAIL ROTOR BLADE	355A12-0040-14	16390	SLL	4 000 H	05-Dec-10	10 742:39	242:39 H	137:57 H		14 500:00	3 619:24 H
------------------	----------------	-------	-----	---------	-----------	-----------	----------	----------	--	-----------	------------

**ATA 65 - TAIL ROTOR DRIVE**

FRONT SECTION, REAR TRANSMISSION	350A34-0150-04	M2064	OC	-- O.C. --	03-Sep-08	10 380:50	10 380:50 H	499:46 H		-- O.C. --	-- O.C. --
REAR SECTION, REAR TRANSMISSION	350A34-0210-05	M1356	OC	-- O.C. --	03-Sep-08	10 380:50	2 198:58 H	499:46 H		-- O.C. --	-- O.C. --
LIGHT ALLOY DRIVE SHAFT	350A34-1012-03	M1356	SLL	10 500 H	03-Sep-08	10 380:50	2 198:58 H	499:46 H		18 681:52	7 801:16 H
5x BALL BEARING, REAR TRANSMISSION	593404	-- W.O. --	OTL*	3 900 H	03-Sep-08	10 380:50	0:00 H	499:46 H		14 280:50	3 400:14 H
			OTL*	5,5 Y	28-Apr-08		0 D	2 259 D	28-Oct-13		- 250 D
<b>TAIL ROTOR GEAR BOX ASSY</b>	350A33-0200-05	M2049	TBO*	3 300 H	27-Oct-08	10 535:58	2 022:06 H	344:38 H		11 813:52	933:16 H
			TBO*	24,5 Y	05-Jul-04		0 D	3 652 D	05-Jan-29		5 298 D
T/R GEAR BOX HOUSING	350A33-1090-01	M5427	SLL	20 000 H	27-Oct-08	10 535:58	2 022:06 H	344:38 H		28 513:52	17 633:16 H
T/R BEVEL PINION	350A33-1000-21	L9027	SLL	7 500 H	27-Oct-08	10 535:58	2 022:06 H	344:38 H		16 013:52	5 133:16 H
T/R BEVEL WHEEL	350A33-1001-21	L7425	SLL	20 000 H	27-Oct-08	10 535:58	2 022:06 H	344:38 H		28 513:52	17 633:16 H
T/R SHAFT	350A33-1092-01	M1131	SLL	20 000 H	27-Oct-08	10 535:58	2 022:06 H	344:38 H		28 513:52	17 633:16 H
T/R PITCH CONTROL LEVER	350A33-1526-00	MA18706	SLL	20 000 H	27-Oct-08	10 535:58	689:41 H	344:38 H		29 846:17	18 965:41 H
T/R SPIDER ASSY, PITCH CHANGE	350A33-2030-00	MA0871	OC	-- O.C. --	27-Oct-08	10 535:58	2 523:06 H	344:38 H		-- O.C. --	-- O.C. --
T/R BALL BEARING - SNR (704A33-651-190)	6010F234M16	NR 2091	OTL*	3 300 H	27-Oct-08	10 535:58	2 022:06 H	344:38 H		11 813:52	933:16 H

**ECUREUIL AS350-B2 - S/N 1799 - MANUF. DATE: 1986 - REGISTRATION: CP-2701**

Status at 05-Jul-2014

Aircraft Total Time Since New: . . . . . **10 880:36 H**  
 Aircraft Total Landings Since New: . . . . . **23 308 LD**  
 Last Airframe Major Overhaul completed the 29-Jan-2003 at: . . . . . 7 074:56 H A/C TTSN  
 Aircraft Operating Time Since Last Overhaul: . . . . . **3 805:40 H**

NG Cycles consumed since Engine installation: . . . . . 16,45 NG  
 NF Cycles consumed since Engine installation: . . . . . 14 NF

DESIGNATION (REF. EUROCOPTER)	MPN	MSN	TL	LIMITS	INSTALLATION AT		OPERATING TIME		TO BE REMOVED AT		REMAINING HR / CY
					DATE	A/C TTSN	BEFORE INST.	AFTER INST.	DATE	A/C TTSN	

**ATA 67 - ROTORS FLIGHT CONTROL**

DUNLOP SERVO-CONTROL, FRONT, WITH LOCK (704A44-831-113)	AC67246	CC050	TBO* TBO*	1 980 H 20,5 Y	21-Oct-10 26-Nov-04	10 618:07	1 210:09 H 0 D	262:29 H 3 508 D		11 387:58	507:22 H 3 978 D
SAMM SERVO-CONTROL, LATERAL, WITH LOCK (704A44-831-141)	SC5083	168	TBO* TBO*	3 300 H 20,5 Y	08-Feb-13 07-Nov-07	10 872:51	2 148:01 H 0 D	7:45 H 2 432 D	26-May-25	12 024:50	1 144:14 H 5 055 D
SAMM SERVO-CONTROL, LATERAL, WITH LOCK (704A44-831-141)	SC5083	545	TBO* TBO*	3 300 H 20,5 Y	28-Mar-11 25-Sep-09	10 860:21	0:00 H 0 D	20:15 H 1 744 D	07-May-28	14 160:21	3 279:45 H 5 742 D
SAMM SERVO-CONTROL, REAR (704A44-831-142)	SC5072	542	TBO* TBO*	3 300 H 20,5 Y	10-Oct-04 30-Apr-03	8 412:50	0:00 H 0 D	2 467:46 H 4 084 D	25-Mar-30	11 712:50	832:14 H 3 404 D

**ATA 72 - ENGINE (SUMMARY)**

ENGINE ASSY 1ST LIMITS - (HOURS)	ARRIEL 1D1	9210	TBO	3 600 H	04-Feb-11	10 859:51	2 768:26 H	20:45 H		11 691:25	810:49 H
- (CALENDAR TIME)	0 292 00 522 0		TBO	15 Y	04-Feb-11	10 859:51	3 518 D	1 247 D	18-Jun-16		714 D
- (NG CYCLES)			SLL	14 000 NG	-- N.A. --	0,00 NG	10 680,61 NG	16,45 NG		-- N.A. --	3 302,94 NG
- (NF CYCLES)			SLL	10 000 NF	-- N.A. --	0 NF	5 687 NF	14 NF		-- N.A. --	4 299 NF

**ATA 72 - ENGINE MODULE 1 - ACCESSORY BOX**

MODULE 1 - ACCESSORY BOX ASSY - (HR)	70BM015420	9214	OC	-- O.C. --	04-Feb-11	10 859:51	5 772:26 H	20:45 H		-- O.C. --	-- O.C. --
MODULE 1 - ACCESSORY BOX ASSY - (CAL)			TBO	15 Y	04-Feb-11	10 859:51	1 982 D	1 247 D	01-Sep-20		2 250 D

**ATA 72 - ENGINE MODULE 2 - AXIAL COMPRESSOR**

MO2 - AXIAL COMPRESSOR ASSY - (HR)	70BM025020	3678	TBO	7 200 H	04-Feb-11	10 859:51	2 793:41 H	20:45 H		15 266:10	4 385:34 H
MO2 - AXIAL COMPRESSOR ASSY - (CAL)			TBO	15 Y	04-Feb-11	10 859:51	3 518 D	1 247 D	18-Jun-16		714 D
MO2 - 42 TEETH GEAR BEARING	9606490202	364	OTL	7 200 H	04-Feb-11	10 859:51	2 793:41 H	20:45 H		15 266:10	4 385:34 H
MO2 - FRONT AXIAL BEARING	9609000166	99364	OTL	7 200 H	04-Feb-11	10 859:51	2 793:41 H	20:45 H		15 266:10	4 385:34 H
MO2 - REAR AXIAL BEARING	9609000166	70	OTL	7 200 H	04-Feb-11	10 859:51	2 793:41 H	20:45 H		15 266:10	4 385:34 H
MO2 - AXIAL COMPRESSOR WHEEL	2292152810	3542T	SLL	14 000 NG	04-Feb-11		1 849,00 NG	16,45 NG		-- N.A. --	12 134,55 NG

**ATA 72 - ENGINE MODULE 3 - GAS GENERATOR**

MO3 - GAS GENERATOR ASSY - (HR)	70BM035420	9294	TBO	3 600 H	04-Feb-11	10 859:51	2 768:26 H	20:45 H		11 691:25	810:49 H
MO3 - GAS GENERATOR ASSY - (CAL)			TBO	15 Y	04-Feb-11	10 859:51	1 982 D	1 247 D	01-Sep-20		2 250 D
MO3 - CENTRIFUGE COMPRESSOR ASSY	0292252930	756FB	SLL	14 000 NG	04-Feb-11		10 680,61 NG	16,45 NG		-- N.A. --	3 302,94 NG
MO3 - INJECTION WHEEL	0292254010	0219XG	SLL	10 000 NG	04-Feb-11		2 801,61 NG	16,45 NG		-- N.A. --	7 181,94 NG
MO3 - GENERATOR DISC STAGE 1	0292253240	ADE0417YC	SLL	10 000 NG	04-Feb-11		2 801,61 NG	16,45 NG		-- N.A. --	7 181,94 NG
MO3 - GENERATOR DISC STAGE 2	0292250390	K195AD	SLL	6 500 NG	04-Feb-11		0,00 NG	16,45 NG		-- N.A. --	6 483,55 NG
MO3 - 2ND NGV FRONT HUB TU202	2292401800	5903PR	OTL	3 600 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		12 957:25	2 076:49 H
MO3 - 2ND NGV REAR HUB TU202	2500019278	5862PR	OTL	3 600 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		12 957:25	2 076:49 H
MO3 - REAR BEARING	9609000562	SER83	OTL	3 600 H	04-Feb-11	10 859:51	1 495:26 H	20:45 H		12 964:25	2 083:49 H
MO3 - GENERATOR BLADES STAGE 1 - (HR)	2292253850	CD5	OTL	6 000 H	04-Feb-11	10 859:51	2 768:26 H	20:45 H		14 091:25	3 210:49 H
MO3 - GENERATOR BLADES STAGE 1 - (CY)			OTL	12 000 NG			2 801,61 NG	16,45 NG		-- N.A. --	9 181,94 NG
MO3 - GENERATOR BLADES STAGE 2 - (HR)	0292250390	K195AD	OTL	7 200 H	04-Feb-11	10 859:51	0:00 H	20:45 H		18 059:51	7 179:15 H
MO3 - GENERATOR BLADES STAGE 2 - (CY)			OTL	10 000 NG			0,00 NG	16,45 NG		-- N.A. --	9 983,55 NG

**ECUREUIL AS350-B2 - S/N 1799 - MANUF. DATE: 1986 - REGISTRATION: CP-2701**

Status at 05-Jul-2014

Aircraft Total Time Since New: . . . . . **10 880:36 H**  
 Aircraft Total Landings Since New: . . . . . **23 308 LD**  
 Last Airframe Major Overhaul completed the 29-Jan-2003 at: . . . . . 7 074:56 H A/C TTSN  
 Aircraft Operating Time Since Last Overhaul: . . . . . **3 805:40 H**

NG Cycles consumed since Engine installation: . . . . . 16,45 NG  
 NF Cycles consumed since Engine installation: . . . . . 14 NF

DESIGNATION (REF. EUROCOPTER)	MPN	MSN	TL	LIMITS	INSTALLATION AT		OPERATING TIME		TO BE REMOVED AT		REMAINING HR / CY
					DATE	A/C TTSN	BEFORE INST.	AFTER INST.	DATE	A/C TTSN	

**ATA 72 - ENGINE MODULE 4 - FREE TURBINE**

MO4 - FREE TURBINE ASSY - (HR)	70BM045400	9457	TBO	7 200 H	04-Feb-11	10 859:51	2 768:26 H	20:45 H		15 291:25	4 410:49 H
MO4 - FREE TURBINE ASSY - (CAL)			TBO	15 Y	04-Feb-11		1 982 D	1 247 D	01-Sep-20		2 250 D
MO4 - P.T. FRONT BEARING	9606080705	2365	OTL	3 600 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		12 957:25	2 076:49 H
MO4 - REAR FREE TURBINE FRONT BEARING	9609000166	5877	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO4 - REAR FREE TURBINE REAR BEARING	9609000166	6241	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO4 - FREE TURBINE BLADES - (HR)	0292803080	N36N1	OTL	7 200 H	04-Feb-11	10 859:51	5 772:26 H	20:45 H		12 287:25	1 406:49 H
MO4 - FREE TURBINE BLADES - (CY)			OTL	12 000 NF	04-Feb-11		5 687 NF	14 NF		-- N.A. --	6 299 NF
MO4 - FREE TURBINE DISC	2292802500	ADC3301AD	SLL	10 000 NF	04-Feb-11		5 687 NF	14 NF		-- N.A. --	4 299 NF

**ATA 72 - ENGINE MODULE 5 - GEAR BOX MODULE**

MO5 - GEAR BOX MODULE - (HR)	70BM055420	9317	TBO	3 600 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		12 957:25	2 076:49 H
MO5 - GEAR BOX MODULE - (CAL)			TBO	15 Y	04-Feb-11		1 982 D	1 247 D	01-Sep-20		2 250 D
MO5 - DRIVE GEAR FRONT BEARING	9609000336	2271	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO5 - DRIVE GEAR REAR BEARING	9609000336	2284	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO5 - INTERMEDIATE GEAR FRONT BEARING	9609000247	2882	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO5 - INTERMEDIATE GEAR REAR BEARING	9609000247	2957	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO5 - OUTPUT GEAR FRONT BEARING	9609000139	1559	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO5 - OUTPUT GEAR REAR BEARING	9609000266	1854	OTL	7 200 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		16 557:25	5 676:49 H
MO5 - TORQUEMETER BEARING	9609000254	1708	OTL	6 000 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		15 357:25	4 476:49 H
MO5 - COUPLING SLEEVE	0292701850	4352B	OTL	3 600 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		12 957:25	2 076:49 H
MO5 - LEFT HAND NUT	0292701370	1830B	OTL	3 600 H	04-Feb-11	10 859:51	1 502:26 H	20:45 H		12 957:25	2 076:49 H

**ATA 72 - ENGINE FCU**

FUEL CONTROL UNIT - (HR)	0164598720	393M	TBO	3 600 H	04-Feb-11	10 859:51	254:44 H	20:45 H		14 205:07	3 324:31 H
FUEL CONTROL UNIT - (CAL)			TBO	10 Y	04-Feb-11		623 D	1 247 D	23-May-19		1 783 D

**ATA 72 - ENGINE FREE WHEEL**

FREE WHEEL ASSY	0292907680	3451B	TBO	3 500 H	04-Feb-11	10 859:51	1 502:06 H	20:45 H		12 857:45	1 977:09 H
FREE WHEEL	9560157860	4551	TBO	3 500 H	04-Feb-11	10 859:51	1 502:06 H	20:45 H		12 857:45	1 977:09 H
FREE WHEEL BALL BEARING	9608650901	5595	TBO	7 000 H	04-Feb-11	10 859:51	1 502:06 H	20:45 H		16 357:45	5 477:09 H
FREE WHEEL DRIVE SHAFT	0292907670	2089B	TBO	12 000 H	04-Feb-11	10 859:51	1 502:06 H	20:45 H		21 357:45	10 477:09 H

**ATA 72 - ENGINE ACCESSORIES**

START DRAIN VALVE	0174078030	181M	TBO	10 Y	04-Feb-11	10 859:51	0 D	1 247 D	04-Feb-21		2 406 D
DRAIN VALVE	0174126090	C583B	TBO	10 Y	04-Feb-11	10 859:51	0 D	1 247 D	04-Feb-21		2 406 D

**ATA 80 - STARTING**

AUXILEC STARTER-GENERATOR (704A46-101-011)	524-031	3597	TBO*	2 500 H	18-Oct-09	10 618:07	461:15 H	262:29 H		12 656:52	1 776:16 H
BRUSH AND BALL BEARING REPLACEMENT			TBO	1 200 H	18-Oct-09	10 618:07	0:00 H	262:29 H		11 818:07	937:31 H
BRUSH INSPECTION			CHK	600 H	18-Oct-09	10 618:07	0:00 H	262:29 H		11 218:07	337:31 H

**NOTA:**  
 \* Items with margin included  
 \*\* Items with no margin allowed

**ABBREVIATIONS:** N.A. = Not Applicable  
 O.C. or OC = On Condition  
 W.O. = Without

**TYPES OF LIMIT:** TBO = Time Between Overhaul  
 SLL = Service Life Limit  
 OTL = Operating Time Limit  
 CHK = Check

**UNITS:** H = Hour  
 D = Day  
 M = Month  
 Y = Year  
 NG = Gas Generator Cycle  
 NF = Free Turbine Cycle  
 LD = Landing Cycle  
 SL = External Load Cycle